UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

PFE ORIGINAL

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

October 31, 2005

Mr. Larry Harmon
Plant Manager
Safety Light Corporation
4150-A Old Berwick Road
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-1

Dear Mr. Harmon:

The purpose of this letter is to provide you with the results from the sampling of the (b) (6) residential well located on the Safety Light Site on July 19, 2005.

The attached results do not indicate an exceedance of any drinking water standards. However, past results on this well have indicated exceedances. I recommend the continued use of bottled water if the residence will be used by contractors working at the Site.

The water from the well was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. Attached is a table summarizing the list of chemicals that have been analyzed and the results. If there is a U in the last column, this means that the chemical was undetected. A table explaining the other qualifiers is attached.

EPA intends to sample the water again this November to take into account seasonal variations and its impact on the groundwater. If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov.

Sincerely,

Linda Dietz

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

7002 0510 0003 9019 7660

Mr. Larry Harmon
Plant Manager
Safety Light Corporation
4150-A Old Berwick Road
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well,

City, State, ZIP+4

PS Form 3800, January 2001

See Reverse for Instructions

Certified Mail Provides:

- ☒ A mailing receipt
- ☒ A unique identifier for your mailpiece
- ☒ A signature upon delivery
- ☐ A record of delivery kept by the Postal Service for two years

minders:

ail may ONLY be combined with First-Class Mail or Priority Mail.

ail is *not* available for any class of international mail.

IANCE COVERAGE IS PROVIDED with Certified Mail. For lease consider Insured or Registered Mail.

tional fee, a *Return Receipt* may be requested to provide proof of obtain Return Receipt service, please complete and attach a Return Form 3811) to the article and add applicable postage to cover the e mailpiece "Return Receipt Requested". To receive a fee waiver for return receipt, a USPS postmark on your Certified Mail receipt is

V-1

ditional fee, delivery may be restricted to the addressee or s authorized agent. Advise the clerk or mark the mailpiece with the nt *"Restricted Delivery"*.

rk on the Certified Mail receipt is desired, please present the arti- post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

PS Form 3800, January 2001 *(Reverse)* 102595-02-M-0452

10/31/05

Cindy

PFE ORIGINAL

Please send certified. fixed 2 copies.

Thx,

Linda Duty

1 copy -> Me

1 copy -> (b) (6)

TTNUS.
600 Clark Ave
Suite 3
King of Prussia, PA
19406

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW1	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
TOTAL INORGANICS	ug/L	
Antimony	2	U
Arsenic	0.18	B
Barium	29.5	
Beryllium	1	UL
Cadmium	1	U
Chromium	0.26	B
Cobalt	0.071	B
Copper	432	
Lead	2.2	
Manganese	6.8	
Mercury	0.2	UL
Nickel	0.89	J
Selenium	5	U
Silver	0.034	B
Thallium	1	U
Vanadium	0.07	B
Zinc	10.8	
Cyanide	10	UL
RADIOCHEMISTRY	pci/L	
Alpha	0.732	
Beta	1.53	
Am241	0.0956	
Ba140	10.8	U
Bi214	44.9	J
Co60	2.23	U
Cs137	2.99	U
I131	3.74	U
K40	21.7	U
Pb210	595	U
Pb212	NA	
Pb214	49.4	J
Ra226	62.3	U
Ra228(gamma)	14.5	U
H3	19100	
Ra228	0.101	
Sr89	-0.608	
Sr90	0.483	
Th227	-0.0162	
Th228	0.0292	
Th230	0.0131	
Th232	0	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW1	
Sample Date:	07/19/06	
Duplicate:		
SEMIVOLATILES	RESULT ug/L	
1,1'-Biphenyl	5	U
1,2,4,5-Tetrachlorobenzene	5	U
2,2'-Oxybis(1-chloropropane)	5	U
2,4,5-Trichlorophenol	20	U
2,4,6-Trichlorophenol	5	U
2,4-Dichlorophenol	5	U
2,4-Dimethylphenol	5	U
2,4-Dinitrophenol	20	U
2,4-Dinitrotoluene	5	U
2,6-Dinitrotoluene	5	U
2-Chloronaphthalene	5	U
2-Chlorophenol	5	U
2-Methylnaphthalene	5	U
2-Methylphenol	5	U
2-Nitroaniline	20	U
2-Nitrophenol	5	U
3,3'-Dichlorobenzidine	5	U
3-Nitroaniline	20	U
4,6-Dinitro-2-methylphenol	20	U
4-Bromophenyl Phenyl Ether	5	U
4-Chloro-3-methylphenol	5	U
4-Chloroaniline	5	U
4-Chlorophenyl Phenyl Ether	5	U
4-Methylphenol	5	U
4-Nitroaniline	20	U
4-Nitrophenol	20	U
Acenaphthene	5	U
Acenaphthylene	5	U
Acetophenone	5	U
Anthracene	5	U
Atrazine	5	U
Benz(a)anthracene	5	U
Benzaldehyde	5	U
Benzo(a)pyrene	5	U
Benzo(b)fluoranthene	5	U
Benzo(g,h,i)perylene	5	U
Benzo(k)fluoranthene	5	U
Bis(2-chloroethoxy)methane	5	U
Bis(2-ethylhexyl)phthalate	5	U
Bis-(2-chloroethyl) Ether	5	U
Butylbenzylphthalate	5	U
Caprolactam	5	U
Chrysene	5	U
Di-n-butylphthalate	5	U
Di-n-octylphthalate	5	U
Dibenz(a,h)anthracene	5	U
Dibenzofuran	5	U
Diethylphthalate	5	U
Dimethylphthalate	5	U

w-01

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW1	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
Fluoranthene	5	U
Fluorene	5	U
SEMIVOLATILES (Con't)	ug/L	
Hexachlorobenzene	5	U
Hexachlorobutadiene	5	U
Hexachlorocyclopentadiene	5	U
Hexachloroethane	5	U
Indeno(1,2,3-cd)pyrene	5	U
Isophorone	5	U
N-Nitroso-di-n-propylamine	5	U
N-Nitrosodiphenylamine (1)	5	U
Naphthalene	5	U
Nitrobenzene	5	U
Pentachlorophenol	5	U
Phenanthrene	5	U
Phenol	5	U
Pyrene	5	U
PESTICIDES/PCBS	ug/L	
4,4'-DDD	0.02	U
4,4'-DDE	0.02	U
4,4'-DDT	0.02	U
Aldrin	0.01	U
Alpha-BHC	0.01	U
Alpha-Chlordane	0.01	U
Beta-BHC	0.01	U
Delta-BHC	0.01	U
Dieldrin	0.02	U
Endosulfan I	0.01	U
Endosulfan II	0.02	U
Endosulfan Sulfate	0.02	U
Endrin	0.02	U
Endrin Aldehyde	0.02	U
Endrin Ketone	0.02	U
Gamma-BHC (Lindane)	0.01	U
Gamma-Chlordane	0.01	U
Heptachlor	0.01	U
Heptachlor Epoxide	0.01	U
Methoxychlor	0.1	U
Toxaphene	1	U
Aroclor-1016	0.2	U
Aroclor-1221	0.4	U
Aroclor-1232	0.2	U
Aroclor-1242	0.2	U
Aroclor-1248	0.2	U
Aroclor-1254	0.2	U
Aroclor-1260	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS
FORMER [redacted] PE[redacted]
BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW1		SEMIVOLATILES	ug/L		SEMIVOLATILES (Con't)	ug/L		VOLATILES	ug/L	
Sample Date:	07/19/06		1,1'-Biphenyl	5	U	Hexachlorobenzene	5	U	1,1,1-Trichloroethane	0.5	U
Duplicate:			1,2,4,5-Tetrachlorobenzene	5	U	Hexachlorobutadiene	5	U	1,1,2,2-Tetrachloroethane	0.5	U
			2,2'-Oxybis(1-chloropropane)	5	U	Hexachlorocyclopentadiene	5	U	1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
	RESULT		2,4,5-Trichlorophenol	20	U	Hexachloroethane	5	U	1,1,2-Trichloroethane	0.5	U
VOLATILES	ug/L										
1,1,1-Trichloroethane	0.5	U									
1,1,2,2-Tetrachloroethane	0.5	U									
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U									
1,1,2-Trichloroethane	0.5	U									
1,1-Dichloroethane	0.5	U									
1,1-Dichloroethene	0.5	U									
1,2,3-Trichlorobenzene	0.5	U									
1,2,4-Trichlorobenzene	0.5	U									
1,2-Dibromo-3-chloropropane	0.5	U									
1,2-Dibromoethane	0.5	U									
1,2-Dichlorobenzene	0.5	U									
1,2-Dichloroethane	0.5	U									
1,2-Dichloroethene (cis)	0.5	U									
1,2-Dichloroethene (trans)	0.5	U									
1,2-Dichloropropane	0.5	U									
1,3-Dichlorobenzene	0.5	U									
1,4-Dichlorobenzene	0.5	U									
2-Butanone	5	U									
2-Hexanone	5	U									
4-Methyl-2-pentanone	5	U									
Acetone	2.7	B									
Benzene	0.5	U									
Bromochloromethane	0.5	U									
Bromodichloromethane	0.5	U									
Bromoform	0.5	U									
Bromomethane	0.5	U									
Carbon Disulfide	0.5	U									
Carbon Tetrachloride	0.5	U									
Chlorobenzene	0.5	U									
Chloroethane	0.5	U									
Chloroform	0.5	U									
Chloromethane	0.5	U									
cis-1,3-Dichloropropene	0.5	U									
Cyclohexane	0.5	U									
Dibromochloromethane	0.5	U									
Dichlorodifluoromethane	0.5	UJ									
Ethylbenzene	0.5	U									
Isopropylbenzene	0.5	U									
Methyl Acetate	0.5	U									
Methyl Tert-butyl Ether	0.5	U									
Methylcyclohexane	0.5	U									
Methylene Chloride	0.33	B									
Styrene	0.5	U									
Tetrachloroethene	0.5	U									
Toluene	0.5	U									
trans-1,3-Dichloropropene	0.5	U									
Trichloroethene	0.5	U									
Trichlorofluoromethane	0.5	U									
Vinyl Chloride	0.5	U									

v-01

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

PENNSYLVANIA

Sample ID:	RW1	SEMIVOLATILES	ug/L		SEMIVOLATILES (Con't)	ug/L		VOLATILES	ug/L	
Sample Date:	07/19/05	1,1'-Biphenyl	5	U	Hexachlorobenzene	5	U	1,1,1-Trichloroethane	0.5	U
Duplicate:		1,2,4,5-Tetrachlorobenzene	5	U	Hexachlorobutadiene	5	U	1,1,2,2-Tetrachloroethane	0.5	U
		2,2'-Oxybis(1-chloropropane)	5	U	Hexachlorocyclopentadiene	5	U	1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
Xylene (Total)	RESULT	2,4,5-Trichlorophenol	20	U	Hexachloroethane	5	U	1,1,2-Trichloroethane	0.5	U
	0.5 U									

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.

7002 0510 0003 9019 1653

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

(b) (6)
[redacted]

Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well,

Street, Apt. No.; or PO Box No.

City, State, ZIP+4

PS Form 3800, January 2001 See Reverse for Instructions

Certified Mail Provides:

- ☒ A mailing receipt
- ☒ A unique identifier for your mailpiece
- ☒ A signature upon delivery
- ☐ A record of delivery kept by the Postal Service for two years

eminders:

lail may ONLY be combined with First-Class Mail or Priority Mail.

lail is *not* available for any class of international mail.

RANCE COVERAGE IS PROVIDED with Certified Mail. For please consider Insured or Registered Mail.

litional fee, a *Return Receipt* may be requested to provide proof of obtain Return Receipt service, please complete and attach a Return S Form 3811) to the article and add applicable postage to cover the se mailpiece "Return Receipt Requested". To receive a fee waiver for return receipt, a USPS postmark on your Certified Mail receipt is

V-2

dditional fee, delivery may be restricted to the addressee or 's authorized agent. Advise the clerk or mark the mailpiece with the ent *"Restricted Delivery".*

ark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

October 31, 2005

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-2

Dear (b) (6) [redacted]

The purpose of this letter is to provide you with the results from the sampling of your home well on July 19, 2005.

The water from your home was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. Attached is a table summarizing the compounds that were analyzed and the result for each compound. The compounds listed in the attached table with a U in the last column were **not** detected in your water.

EPA has compared your results with MCLs, which are the maximum contaminant levels allowed in a public water supply and the results have also been reviewed by an EPA toxicologist. EPA has determined that your results are below MCLs. In general, only low levels of sporadic chemicals were detected. Based on this data set, EPA believes your water is safe for use.

EPA intends to sample the water from your home again this November to take into account seasonal variations and its impact on the groundwater. If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov. Thank you for your continued support during our sampling efforts.

Sincerely,

Linda Dietz

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

DATA SUMMARY
(b) (6) [redacted]
BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW2		RW2-DUP	
Sample Date:	07/19/05		07/19/05	
Duplicate:	RW2-DUP		RW2	
	RESULT		RESULT	
TOTAL INORGANICS	ug/L		ug/L	
Antimony	2	U	2	U
Arsenic	0.26	B	0.23	B
Barium	37.3		37.2	
Beryllium	1	UL	1	UL
Cadmium	1	U	1	U
Chromium	0.28	B	0.28	B
Cobalt	0.06	B	0.083	B
Copper	11.5		15.6	
Lead	0.85	J	1	J
Manganese	0.18	B	0.23	B
Mercury	0.2	UL	0.2	UL
Nickel	0.34	J	0.32	J
Selenium	5	U	0.54	J
Silver	0.033	B	1	U
Thallium	1	U	1	U
Vanadium	0.084	B	1	U
Zinc	42.6		52.9	
Cyanide	10	UL	10	UL
RADIOCHEMISTRY	pci/L		pci/L	
Alpha	0.198		0.678	
Beta	1.55		4.1	
Am241	-0.0275		0.0214	
Ba140	11.6	U	11.1	U
Bi214	75.6	J	89.5	J
Co60	2.39	U	2.45	U
Cs137	3.1	U	3.36	U
I131	4.1	U	3.93	U
K40	13.6		24.8	U
Pb210	680	U	680	U
Pb212	2.26		NA	
Pb214	81.2	J	98.4	J
Ra226	66.4	U	70.8	U
Ra228(gamma)	16.6	U	16.4	U
H3	520		430	
Ra228	0.27		-0.273	
Sr89	-0.0159		0.529	
Sr90	0.293		0.00564	
Th227	0.012		0.029	
Th228	0.00337		0.0561	
Th230	0.0253		0.0103	
Th232	0		0	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW2		RW2-DUP	
Sample Date:	07/19/05		07/19/05	
Duplicate:	RW2-DUP		RW2	
SEMIVOLATILES	RESULT		RESULT	
	ug/L		ug/L	
1,1'-Biphenyl	5	U	5	U
1,2,4,5-Tetrachlorobenzene	5	U	5	U
2,2'-Oxybis(1-chloropropane)	5	U	5	U
2,4,5-Trichlorophenol	20	U	20	U
2,4,6-Trichlorophenol	5	U	5	U
2,4-Dichlorophenol	5	U	5	U
2,4-Dimethylphenol	5	U	5	U
2,4-Dinitrophenol	20	U	20	U
2,4-Dinitrotoluene	5	U	5	U
2,6-Dinitrotoluene	5	U	5	U
2-Chloronaphthalene	5	U	5	U
2-Chlorophenol	5	U	5	U
2-Methylnaphthalene	5	U	5	U
2-Methylphenol	5	U	5	U
2-Nitroaniline	20	U	20	U
2-Nitrophenol	5	U	5	U
3,3'-Dichlorobenzidine	5	U	5	U
3-Nitroaniline	20	U	20	U
4,6-Dinitro-2-methylphenol	20	UL	20	UL
4-Bromophenyl Phenyl Ether	5	U	5	U
4-Chloro-3-methylphenol	5	U	5	U
4-Chloroaniline	5	U	5	U
4-Chlorophenyl Phenyl Ether	5	U	5	U
4-Methylphenol	5	U	5	U
4-Nitroaniline	20	U	20	U
4-Nitrophenol	20	U	20	U
Acenaphthene	5	U	5	U
Acenaphthylene	5	U	5	U
Acetophenone	5	U	5	U
Anthracene	5	U	5	U
Atrazine	5	U	5	U
Benz(a)anthracene	5	U	5	U
Benzaldehyde	5	U	5	U
Benzo(a)pyrene	5	U	5	U
Benzo(b)fluoranthene	5	U	5	U
Benzo(g,h,i)perylene	5	U	5	U
Benzo(k)fluoranthene	5	U	5	U
Bis(2-chloroethoxy)methane	5	U	5	U
Bis(2-ethylhexyl)phthalate	5	U	5	U
Bis-(2-chloroethyl) Ether	5	U	5	U
Butylbenzylphthalate	5	U	5	U
Caprolactam	5	U	5	U
Chrysene	5	U	5	U
Di-n-butylphthalate	5	U	5	U
Di-n-octylphthalate	5	U	5	U
Dibenz(a,h)anthracene	5	U	5	U
Dibenzofuran	5	U	5	U
Diethylphthalate	5	U	5	U
Dimethylphthalate	5	U	5	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW2		RW2-DUP	
Sample Date:	07/19/05		07/19/05	
Duplicate:	RW2-DUP		RW2	
	RESULT		RESULT	
Fluoranthene	5	U	5	U
Fluorene	5	U	5	U
SEMIVOLATILES (Con't)	ug/L		ug/L	
Hexachlorobenzene	5	U	5	U
Hexachlorobutadiene	5	U	5	U
Hexachlorocyclopentadiene	5	U	5	U
Hexachloroethane	5	U	5	U
Indeno(1,2,3-cd)pyrene	5	U	5	U
Isophorone	5	U	5	U
N-Nitroso-di-n-propylamine	5	U	5	U
N-Nitrosodiphenylamine (1)	5	U	5	U
Naphthalene	5	U	5	U
Nitrobenzene	5	U	5	U
Pentachlorophenol	5	U	5	U
Phenanthrene	5	U	5	U
Phenol	5	U	5	U
Pyrene	5	U	5	U
PESTICIDES/PCBS	ug/L		ug/L	
4,4'-DDD	0.02	U	0.02	U
4,4'-DDE	0.02	U	0.02	U
4,4'-DDT	0.02	U	0.02	U
Aldrin	0.01	U	0.01	U
Alpha-BHC	0.01	U	0.01	U
Alpha-Chlordane	0.01	U	0.01	U
Beta-BHC	0.01	U	0.01	U
Delta-BHC	0.01	U	0.01	U
Dieldrin	0.02	U	0.02	U
Endosulfan I	0.01	U	0.01	U
Endosulfan II	0.02	U	0.02	U
Endosulfan Sulfate	0.02	U	0.02	U
Endrin	0.02	U	0.02	U
Endrin Aldehyde	0.02	U	0.02	U
Endrin Ketone	0.02	U	0.02	U
Gamma-BHC (Lindane)	0.01	U	0.01	U
Gamma-Chlordane	0.01	U	0.01	U
Heptachlor	0.01	U	0.01	U
Heptachlor Epoxide	0.01	U	0.01	U
Methoxychlor	0.1	U	0.1	U
Toxaphene	1	U	1	U
Aroclor-1016	0.2	U	0.2	U
Aroclor-1221	0.4	U	0.4	U
Aroclor-1232	0.2	U	0.2	U
Aroclor-1242	0.2	U	0.2	U
Aroclor-1248	0.2	U	0.2	U
Aroclor-1254	0.2	U	0.2	U
Aroclor-1260	0.2	U	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted] E

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW2		RW2-DUP	
Sample Date:	07/19/05		07/19/05	
Duplicate:	RW2-DUP		RW2	
VOLATILES	RESULT		RESULT	
	ug/L		ug/L	
1,1,1-Trichloroethane	0.36	J	0.31	J
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U
1,2,3-Trichlorobenzene	0.5	U	0.5	U
1,2,4-Trichlorobenzene	0.5	U	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	0.5	U
1,2-Dibromoethane	0.5	U	0.5	U
1,2-Dichlorobenzene	0.5	U	0.5	U
1,2-Dichloroethane	0.5	U	0.5	U
1,2-Dichloroethene (cis)	0.5	U	0.5	U
1,2-Dichloroethene (trans)	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U
1,3-Dichlorobenzene	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U
2-Butanone	5	U	5	U
2-Hexanone	5	U	5	U
4-Methyl-2-pentanone	5	U	5	U
Acetone	2.3	B	2	B
Benzene	0.5	U	0.5	U
Bromochloromethane	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U
Carbon Disulfide	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U
cis-1,3-Dichloropropene	0.5	U	0.5	U
Cyclohexane	0.5	U	0.5	U
Dibromochloromethane	0.5	U	0.5	U
Dichlorodifluoromethane	0.5	UJ	0.5	UJ
Ethylbenzene	0.5	U	0.5	U
Isopropylbenzene	0.5	U	0.5	U
Methyl Acetate	0.5	U	0.5	U
Methyl Tert-butyl Ether	0.5	U	0.5	U
Methylcyclohexane	0.5	U	0.5	U
Methylene Chloride	0.36	B	0.37	B
Styrene	0.5	U	0.5	U
Tetrachloroethene	0.49	J	0.54	
Toluene	0.5	U	0.5	U
trans-1,3-Dichloropropene	0.5	U	0.5	U
Trichloroethene	0.5	U	0.5	U
Trichlorofluoromethane	0.5	U	0.5	U
Vinyl Chloride	0.5	U	0.5	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) E

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW2		RW2-DUP	
Sample Date:	07/19/05		07/19/05	
Duplicate:	RW2-DUP		RW2	
	RESULT		RESULT	
Xylene (Total)	0.5	U	0.5	U

rw-2

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.

7002 0510 0003 9019 1646

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

(b) (6)

[redacted]

Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, R

S
S
O

City, State, ZIP+4

PS Form 3800, January 2001

See Reverse for Instructions

Certified Mail Provides:

- A mailing receipt
- A unique identifier for your mailpiece
- A signature upon delivery
- A record of delivery kept by the Postal Service for two years

Important Reminders:

- Certified Mail may ONLY be combined with First-Class Mail or Priority Mail.

d Mail is *not* available for any class of international mail.

SURANCE COVERAGE IS PROVIDED with Certified Mail. For es, please consider Insured or Registered Mail.

additional fee, a *Return Receipt* may be requested to provide proof of . To obtain Return Receipt service, please complete and attach a Return t (PS Form 3811) to the article and add applicable postage to cover the dorse mailpiece "Return Receipt Requested". To receive a fee waiver for cate return receipt, a USPS postmark on your Certified Mail receipt is d.

additional fee, delivery may be restricted to the addressee or see's authorized agent. Advise the clerk or mark the mailpiece with the ement *"Restricted Delivery"*.

-4

stmark on the Certified Mail receipt is desired, please present the arti- the post office for postmarking. If a postmark on the Certified Mail t is not needed, detach and affix label with postage and mail.

TANT: Save this receipt and present it when making an inquiry.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

October 31, 2005

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-4

Dear (b) (6) [redacted]

The purpose of this letter is to provide you with the results from the sampling of your home well on July 19, 2005. The water from your well is safe for drinking and any other use.

The water from your home was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. Attached is a table listing the chemicals that were analyzed and the results. If there is a U in the last column, this means that the chemical was **not** detected. A table explaining the other qualifiers is attached.

EPA has compared your results with MCLs, which are the maximum contaminant levels allowed in a public water supply and the results have also been reviewed by an EPA toxicologist. EPA has determined that your results are below MCLs. In general, only low levels of sporadic chemicals were detected and concentrations are not high enough to present a health threat.

EPA intends to sample the water from your home again this November to take into account seasonal variations and its impact on the groundwater.

If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov. Thank you for your continued support during our sampling efforts.

Sincerely,

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW4	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
TOTAL INORGANICS	ug/L	
Antimony	2	U
Arsenic	0.34	B
Barium	31.4	
Beryllium	1	UL
Cadmium	1	U
Chromium	0.32	B
Cobalt	0.062	B
Copper	4.6	
Lead	0.074	J
Manganese	0.3	B
Mercury	0.2	UL
Nickel	0.36	J
Selenium	1.1	J
Silver	1	U
Thallium	1	U
Vanadium	0.097	B
Zinc	2.6	B
Cyanide	10	UL
RADIOCHEMISTRY	pci/L	
Alpha	0.98	
Beta	1.81	
Am241	0.211	
Ba140	11.5	U
Bi214	75.7	J
Co60	2.17	U
Cs137	3	U
I131	4.06	U
K40	21.1	U
Pb210	675	U
Pb212	NA	
Pb214	78.6	J
Ra226	69.8	U
Ra228(gamma)	16.4	U
H3	480	
Ra228	0.505	
Sr89	0.441	
Sr90	0.351	
Th227	-0.0106	
Th228	0.0252	
Th230	0.264	
Th232	0	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW4	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
SEMIVOLATILES	ug/L	
1,1'-Biphenyl	5	UL
1,2,4,5-Tetrachlorobenzene	5	U
2,2'-Oxybis(1-chloropropane)	5	U
2,4,5-Trichlorophenol	20	U
2,4,6-Trichlorophenol	5	U
2,4-Dichlorophenol	5	U
2,4-Dimethylphenol	5	U
2,4-Dinitrophenol	20	U
2,4-Dinitrotoluene	5	U
2,6-Dinitrotoluene	5	U
2-Chloronaphthalene	5	U
2-Chlorophenol	5	U
2-Methylnaphthalene	5	U
2-Methylphenol	5	U
2-Nitroaniline	20	U
2-Nitrophenol	5	U
3,3'-Dichlorobenzidine	5	U
3-Nitroaniline	20	U
4,6-Dinitro-2-methylphenol	20	UL
4-Bromophenyl Phenyl Ether	5	U
4-Chloro-3-methylphenol	5	U
4-Chloroaniline	5	U
4-Chlorophenyl Phenyl Ether	5	U
4-Methylphenol	5	U
4-Nitroaniline	20	U
4-Nitrophenol	20	U
Acenaphthene	5	U
Acenaphthylene	5	U
Acetophenone	5	U
Anthracene	5	U
Atrazine	5	U
Benz(a)anthracene	5	U
Benzaldehyde	5	U
Benzo(a)pyrene	5	U
Benzo(b)fluoranthene	5	U
Benzo(g,h,i)perylene	5	U
Benzo(k)fluoranthene	5	U
Bis(2-chloroethoxy)methane	5	U
Bis(2-ethylhexyl)phthalate	1.2	J
Bis-(2-chloroethyl) Ether	5	U
Butylbenzylphthalate	5	UL
Caprolactam	5	UL
Chrysene	5	U
Di-n-butylphthalate	5	UL
Di-n-octylphthalate	5	UL
Dibenz(a,h)anthracene	5	U
Dibenzofuran	5	U
Diethylphthalate	5	UL
Dimethylphthalate	5	UL

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW4	
Sample Date:	07/19/06	
Duplicate:		
	RESULT	
Fluoranthene	5	U
Fluorene	5	U
SEMIVOLATILES (Con't)	ug/L	
Hexachlorobenzene	5	U
Hexachlorobutadiene	5	U
Hexachlorocyclopentadiene	5	U
Hexachloroethane	5	U
Indeno(1,2,3-cd)pyrene	5	U
Isophorone	5	U
N-Nitroso-di-n-propylamine	5	U
N-Nitrosodiphenylamine (1)	5	U
Naphthalene	5	U
Nitrobenzene	5	U
Pentachlorophenol	5	U
Phenanthrene	5	U
Phenol	5	U
Pyrene	5	U
PESTICIDES/PCBS	ug/L	
4,4'-DDD	0.02	U
4,4'-DDE	0.02	U
4,4'-DDT	0.02	U
Aldrin	0.01	U
Alpha-BHC	0.01	U
Alpha-Chlordane	0.01	U
Beta-BHC	0.01	U
Delta-BHC	0.01	U
Dieldrin	0.02	U
Endosulfan I	0.01	U
Endosulfan II	0.02	U
Endosulfan Sulfate	0.02	U
Endrin	0.02	U
Endrin Aldehyde	0.02	U
Endrin Ketone	0.02	U
Gamma-BHC (Lindane)	0.01	U
Gamma-Chlordane	0.01	U
Heptachlor	0.01	U
Heptachlor Epoxide	0.01	U
Methoxychlor	0.1	U
Toxaphene	1	U
Aroclor-1016	0.2	U
Aroclor-1221	0.4	U
Aroclor-1232	0.2	U
Aroclor-1242	0.2	U
Aroclor-1248	0.2	U
Aroclor-1254	0.2	U
Aroclor-1260	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW4	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
VOLATILES	ug/L	
1,1,1-Trichloroethane	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
1,1,2-Trichloroethane	0.5	U
1,1-Dichloroethane	0.5	U
1,1-Dichloroethene	0.5	U
1,2,3-Trichlorobenzene	0.5	U
1,2,4-Trichlorobenzene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U
1,2-Dibromoethane	0.5	U
1,2-Dichlorobenzene	0.5	U
1,2-Dichloroethane	0.5	U
1,2-Dichloroethene (cis)	0.5	U
1,2-Dichloroethene (trans)	0.5	U
1,2-Dichloropropane	0.5	U
1,3-Dichlorobenzene	0.5	U
1,4-Dichlorobenzene	0.5	U
2-Butanone	5	U
2-Hexanone	5	U
4-Methyl-2-pentanone	5	U
Acetone	2	B
Benzene	0.5	U
Bromochloromethane	0.5	U
Bromodichloromethane	0.5	U
Bromoform	0.5	U
Bromomethane	0.5	U
Carbon Disulfide	0.5	U
Carbon Tetrachloride	0.5	U
Chlorobenzene	0.5	U
Chloroethane	0.5	U
Chloroform	0.5	U
Chloromethane	0.5	U
cis-1,3-Dichloropropene	0.5	U
Cyclohexane	0.5	U
Dibromochloromethane	0.5	U
Dichlorodifluoromethane	0.5	UJ
Ethylbenzene	0.5	U
Isopropylbenzene	0.5	U
Methyl Acetate	0.5	U
Methyl Tert-butyl Ether	0.5	U
Methylcyclohexane	0.5	U
Methylene Chloride	0.36	B
Styrene	0.5	U
Tetrachloroethene	0.5	U
Toluene	0.5	U
trans-1,3-Dichloropropene	0.5	U
Trichloroethene	0.5	U
Trichlorofluoromethane	0.39	J
Vinyl Chloride	0.5	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW4	
Sample Date:	07/19/06	
Duplicate:		
	RESULT	
Xylene (Total)	0.5	U

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.

(Domestic Mail Only; No Insurance Coverage Provided)

7002 0510 0003 9019 1639

(b) (6)

Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, R

Sent To

Street, Apt. No.;
or PO Box No.

City, State, ZIP+4

- A mailing receipt
- A unique identifier for your mailpiece
- A signature upon delivery

delivery kept by the Postal Service for two years

minders:

ail may ONLY be combined with First-Class Mail or Priority Mail.

ail is *not* available for any class of international mail.

RANCE COVERAGE IS PROVIDED with Certified Mail. For please consider Insured or Registered Mail.

itional fee, a *Return Receipt* may be requested to provide proof of obtain Return Receipt service, please complete and attach a Return S Form 3811) to the article and add applicable postage to cover the e mailpiece "Return Receipt Requested". To receive a fee waiver for return receipt, a USPS postmark on your Certified Mail receipt is

-5

dditional fee, delivery may be restricted to the addressee or addressee's authorized agent. Advise the clerk or mark the mailpiece with the endorsement *"Restricted Delivery".*

- If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

October 31, 2005

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-5

Dear (b) (6) [redacted]

The purpose of this letter is to provide you with the results from the sampling of your home well on July 19, 2005. The water from your well is safe for drinking and any other use.

The water from your home was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. Attached is list of compounds that were analyzed and their results. If there is a U in the last column, this means that the chemical was **not** detected. A table explaining the other qualifiers is attached.

EPA has compared your results with MCLs, which are the maximum contaminant levels allowed in a public water supply and the results have also been reviewed by an EPA toxicologist. EPA has determined that your results are below MCLs. In general, only low levels of sporadic chemicals were detected and concentrations are not high enough to present a health threat.

EPA intends to sample the water from your home again this June to take into account seasonal variations and its impact on the groundwater. If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov. Thank you for your continued support during our sampling efforts.

Sincerely,

Linda Dietz

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW5	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
TOTAL INORGANICS	ug/L	
Antimony	2	U
Arsenic	0.4	B
Barium	39.9	
Beryllium	1	UL
Cadmium	1	U
Chromium	0.2	B
Cobalt	0.076	B
Copper	179	
Lead	1	J
Manganese	1.5	
Mercury	0.2	UL
Nickel	0.42	J
Selenium	0.86	J
Silver	1	U
Thallium	1	U
Vanadium	0.11	B
Zinc	8.9	
Cyanide	10	UL
RADIOCHEMISTRY	pci/L	
Alpha	0.0801	
Beta	2.44	
Am241	0.0339	
Ba140	11.9	U
Bi214	44	J
Co60	2.11	U
Cs137	3.12	U
I131	4.21	U
K40	22.2	U
Pb210	600	U
Pb212	NA	
Pb214	46.4	J
Ra226	64.5	U
Ra228(gamma)	14.6	U
H3	340	
Ra228	0.997	
Sr89	0.491	
Sr90	-0.0888	
Th227	-0.0158	
Th228	0.00296	
Th230	0.00445	
Th232	0	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW5	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
SEMIVOLATILES	ug/L	
1,1'-Biphenyl	5	U
1,2,4,5-Tetrachlorobenzene	5	U
2,2'-Oxybis(1-chloropropane)	5	U
2,4,5-Trichlorophenol	20	U
2,4,6-Trichlorophenol	5	U
2,4-Dichlorophenol	5	U
2,4-Dimethylphenol	5	U
2,4-Dinitrophenol	20	U
2,4-Dinitrotoluene	5	U
2,6-Dinitrotoluene	5	U
2-Chloronaphthalene	5	U
2-Chlorophenol	5	U
2-Methylnaphthalene	5	U
2-Methylphenol	5	U
2-Nitroaniline	20	U
2-Nitrophenol	5	U
3,3'-Dichlorobenzidine	5	U
3-Nitroaniline	20	U
4,6-Dinitro-2-methylphenol	20	U
4-Bromophenyl Phenyl Ether	5	U
4-Chloro-3-methylphenol	5	U
4-Chloroaniline	5	U
4-Chlorophenyl Phenyl Ether	5	U
4-Methylphenol	5	U
4-Nitroaniline	20	U
4-Nitrophenol	20	U
Acenaphthene	5	U
Acenaphthylene	5	U
Acetophenone	5	U
Anthracene	5	U
Atrazine	5	U
Benz(a)anthracene	5	U
Benzaldehyde	5	U
Benzo(a)pyrene	5	U
Benzo(b)fluoranthene	5	U
Benzo(g,h,i)perylene	5	U
Benzo(k)fluoranthene	5	U
Bis(2-chloroethoxy)methane	5	U
Bis(2-ethylhexyl)phthalate	5	U
Bis-(2-chloroethyl) Ether	5	U
Butylbenzylphthalate	5	U
Caprolactam	5	U
Chrysene	5	U
Di-n-butylphthalate	5	U
Di-n-octylphthalate	5	U
Dibenz(a,h)anthracene	5	U
Dibenzofuran	5	U
Diethylphthalate	5	U
Dimethylphthalate	5	U

DATA (b) (6) [redacted], PENNSYLVANIA

Sample ID:	RW6	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
Fluoranthene	5	U
Fluorene	5	U
SEMIVOLATILES (Con't)	**ug/L**	
Hexachlorobenzene	5	U
Hexachlorobutadiene	5	U
Hexachlorocyclopentadiene	5	U
Hexachloroethane	5	U
Indeno(1,2,3-cd)pyrene	5	U
Isophorone	5	U
N-Nitroso-di-n-propylamine	5	U
N-Nitrosodiphenylamine (1)	5	U
Naphthalene	5	U
Nitrobenzene	5	U
Pentachlorophenol	5	U
Phenanthrene	5	U
Phenol	5	U
Pyrene	5	U
PESTICIDES/PCBS	**ug/L**	
4,4'-DDD	0.02	U
4,4'-DDE	0.02	U
4,4'-DDT	0.02	U
Aldrin	0.01	U
Alpha-BHC	0.01	U
Alpha-Chlordane	0.01	U
Beta-BHC	0.01	U
Delta-BHC	0.01	U
Dieldrin	0.02	U
Endosulfan I	0.01	U
Endosulfan II	0.02	U
Endosulfan Sulfate	0.02	U
Endrin	0.02	U
Endrin Aldehyde	0.02	U
Endrin Ketone	0.02	U
Gamma-BHC (Lindane)	0.01	U
Gamma-Chlordane	0.01	U
Heptachlor	0.01	U
Heptachlor Epoxide	0.01	U
Methoxychlor	0.1	U
Toxaphene	1	U
Aroclor-1016	0.2	U
Aroclor-1221	0.4	U
Aroclor-1232	0.2	U
Aroclor-1242	0.2	U
Aroclor-1248	0.2	U
Aroclor-1254	0.2	U
Aroclor-1260	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW5	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
VOLATILES	ug/L	
1,1,1-Trichloroethane	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
1,1,2-Trichloroethane	0.5	U
1,1-Dichloroethane	0.5	U
1,1-Dichloroethene	0.5	U
1,2,3-Trichlorobenzene	0.5	U
1,2,4-Trichlorobenzene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U
1,2-Dibromoethane	0.5	U
1,2-Dichlorobenzene	0.5	U
1,2-Dichloroethane	0.5	U
1,2-Dichloroethene (cis)	0.5	U
1,2-Dichloroethene (trans)	0.5	U
1,2-Dichloropropane	0.5	U
1,3-Dichlorobenzene	0.5	U
1,4-Dichlorobenzene	0.5	U
2-Butanone	5	U
2-Hexanone	5	U
4-Methyl-2-pentanone	5	U
Acetone	2.3	B
Benzene	0.5	U
Bromochloromethane	0.5	U
Bromodichloromethane	0.5	U
Bromoform	0.5	U
Bromomethane	0.5	U
Carbon Disulfide	0.5	U
Carbon Tetrachloride	0.5	U
Chlorobenzene	0.5	U
Chloroethane	0.5	U
Chloroform	0.73	
Chloromethane	0.5	U
cis-1,3-Dichloropropene	0.5	U
Cyclohexane	0.5	U
Dibromochloromethane	0.5	U
Dichlorodifluoromethane	0.5	UJ
Ethylbenzene	0.5	U
Isopropylbenzene	0.5	U
Methyl Acetate	0.5	U
Methyl Tert-butyl Ether	0.5	U
Methylcyclohexane	0.5	U
Methylene Chloride	0.38	B
Styrene	0.5	U
Tetrachloroethene	0.5	U
Toluene	0.5	U
trans-1,3-Dichloropropene	0.5	U
Trichloroethene	0.5	U
Trichlorofluoromethane	0.5	J
Vinyl Chloride	0.5	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW5	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
Xylene (Total)	0.5	U

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.

CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7002 0510 0003 9019 1622

(b) (6)

Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, R

Sent To

Street, Apt. No.;
or PO Box No.

City, State, ZIP+4

Certified Mail Provides:

- ☑ A mailing receipt
- ☑ A unique identifier for your mailpiece
- ☐ A signature upon delivery

of delivery kept by the Postal Service for two years

Reminders:

Mail may ONLY be combined with First-Class Mail or Priority Mail.

Mail is *not* available for any class of international mail.

URANCE COVERAGE IS PROVIDED with Certified Mail. For please consider Insured or Registered Mail.

ditional fee, a *Return Receipt* may be requested to provide proof of o obtain Return Receipt service, please complete and attach a Return S Form 3811) to the article and add applicable postage to cover the rse mailpiece "Return Receipt Requested". To receive a fee waiver for e return receipt, a USPS postmark on your Certified Mail receipt is

6

additional fee, delivery may be restricted to the addressee or ee's authorized agent. Advise the clerk or mark the mailpiece with the ment *"Restricted Delivery"*.

- ☐ If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

PS Form 3800, January 2001 *(Reverse)* 102595-02-M-0452

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

October 31, 2005

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-6

Dear (b) (6)

The purpose of this letter is to provide you with the results from the sampling of your home well on July 19, 2005. The water from your well is safe for drinking and any other use.

The water from your home was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. Attached is a list of the chemicals that were analyzed and the results. If there is a U in the last column, this means that the chemical was **not** detected. A table explaining the other qualifiers is attached.

EPA has compared your results with MCLs, which are the maximum contaminant levels allowed in a public water supply and the results have also been reviewed by an EPA toxicologist. EPA has determined that your results are below MCLs. In general, only low levels of sporadic chemicals were detected. However, concentrations are not high enough to present a health threat.

EPA intends to sample the water from your home again this November to take into account seasonal variations and its impact on the groundwater. If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov. Thank you for your continued support during our sampling efforts.

Sincerely,

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW6	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
TOTAL INORGANICS	ug/L	
Antimony	2	U
Arsenic	0.27	B
Barium	35	
Beryllium	1	UL
Cadmium	1	U
Chromium	0.16	B
Cobalt	0.1	B
Copper	282	
Lead	0.53	J
Manganese	0.97	J
Mercury	0.2	UL
Nickel	0.44	J
Selenium	5	U
Silver	0.032	B
Thallium	1	U
Vanadium	0.085	B
Zinc	4.6	
Cyanide	10	UL
RADIOCHEMISTRY	pci/L	
Alpha	-0.0259	
Beta	2.35	
Am241	0.0174	
Ba140	11.7	U
Bi214	57.9	J
Co60	2.17	U
Cs137	3.09	U
I131	4.25	U
K40	10.2	
Pb210	655	U
Pb212	NA	
Pb214	66.9	J
Ra226	67.4	U
Ra228(gamma)	16.7	U
H3	280	
Ra228	0.773	
Sr89	-0.22	
Sr90	0.499	
Th227	-0.013	
Th228	0.0218	
Th230	0.0233	
Th232	0.0102	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW6	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
SEMIVOLATILES	ug/L	
1,1'-Biphenyl	5	U
1,2,4,5-Tetrachlorobenzene	5	U
2,2'-Oxybis(1-chloropropane)	5	U
2,4,5-Trichlorophenol	20	U
2,4,6-Trichlorophenol	5	U
2,4-Dichlorophenol	5	U
2,4-Dimethylphenol	5	U
2,4-Dinitrophenol	20	U
2,4-Dinitrotoluene	5	U
2,6-Dinitrotoluene	5	U
2-Chloronaphthalene	5	U
2-Chlorophenol	5	U
2-Methylnaphthalene	5	U
2-Methylphenol	5	U
2-Nitroaniline	20	U
2-Nitrophenol	5	U
3,3'-Dichlorobenzidine	5	U
3-Nitroaniline	20	U
4,6-Dinitro-2-methylphenol	20	UL
4-Bromophenyl Phenyl Ether	5	U
4-Chloro-3-methylphenol	5	U
4-Chloroaniline	5	U
4-Chlorophenyl Phenyl Ether	5	U
4-Methylphenol	5	U
4-Nitroaniline	20	U
4-Nitrophenol	20	U
Acenaphthene	5	U
Acenaphthylene	5	U
Acetophenone	5	U
Anthracene	5	U
Atrazine	5	U
Benz(a)anthracene	5	U
Benzaldehyde	5	U
Benzo(a)pyrene	5	U
Benzo(b)fluoranthene	5	U
Benzo(g,h,i)perylene	5	U
Benzo(k)fluoranthene	5	U
Bis(2-chloroethoxy)methane	5	U
Bis(2-ethylhexyl)phthalate	2.4	J
Bis-(2-chloroethyl) Ether	5	U
Butylbenzylphthalate	5	U
Caprolactam	5	U
Chrysene	5	U
Di-n-butylphthalate	1.1	J
Di-n-octylphthalate	5	U
Dibenz(a,h)anthracene	5	U
Dibenzofuran	5	U
Diethylphthalate	5	U
Dimethylphthalate	5	U
Fluoranthene	5	U
Fluorene	5	U
SEMIVOLATILES (Con't)	ug/L	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW6	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
Hexachlorobenzene	5	U
Hexachlorobutadiene	5	U
Hexachlorocyclopentadiene	5	U
Hexachloroethane	5	U
Indeno(1,2,3-cd)pyrene	5	U
Isophorone	5	U
N-Nitroso-di-n-propylamine	5	U
N-Nitrosodiphenylamine (1)	5	U
Naphthalene	5	U
Nitrobenzene	5	U
Pentachlorophenol	5	U
Phenanthrene	5	U
Phenol	5	U
Pyrene	5	U
PESTICIDES/PCBS	ug/L	
4,4'-DDD	0.02	U
4,4'-DDE	0.02	U
4,4'-DDT	0.02	U
Aldrin	0.01	U
Alpha-BHC	0.01	U
Alpha-Chlordane	0.01	U
Beta-BHC	0.01	U
Delta-BHC	0.01	U
Dieldrin	0.02	U
Endosulfan I	0.01	U
Endosulfan II	0.02	U
Endosulfan Sulfate	0.02	U
Endrin	0.02	U
Endrin Aldehyde	0.02	U
Endrin Ketone	0.02	U
Gamma-BHC (Lindane)	0.01	U
Gamma-Chlordane	0.01	U
Heptachlor	0.01	U
Heptachlor Epoxide	0.01	U
Methoxychlor	0.1	U
Toxaphene	1	U
Aroclor-1016	0.2	U
Aroclor-1221	0.4	U
Aroclor-1232	0.2	U
Aroclor-1242	0.2	U
Aroclor-1248	0.2	U
Aroclor-1254	0.2	U
Aroclor-1260	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW6	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
VOLATILES	ug/L	
1,1,1-Trichloroethane	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
1,1,2-Trichloroethane	0.5	U
1,1-Dichloroethane	0.5	U
1,1-Dichloroethene	0.5	U
1,2,3-Trichlorobenzene	0.5	U
1,2,4-Trichlorobenzene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U
1,2-Dibromoethane	0.5	U
1,2-Dichlorobenzene	0.5	U
1,2-Dichloroethane	0.5	U
1,2-Dichloroethene (cis)	0.5	U
1,2-Dichloroethene (trans)	0.5	U
1,2-Dichloropropane	0.5	U
1,3-Dichlorobenzene	0.5	U
1,4-Dichlorobenzene	0.5	U
2-Butanone	5	U
2-Hexanone	5	U
4-Methyl-2-pentanone	5	U
Acetone	2.5	B
Benzene	0.5	U
Bromochloromethane	0.5	U
Bromodichloromethane	0.5	U
Bromoform	0.5	U
Bromomethane	0.5	U
Carbon Disulfide	0.5	U
Carbon Tetrachloride	0.5	U
Chlorobenzene	0.5	U
Chloroethane	0.5	U
Chloroform	0.5	U
Chloromethane	0.5	U
cis-1,3-Dichloropropene	0.5	U
Cyclohexane	0.5	U
Dibromochloromethane	0.5	U
Dichlorodifluoromethane	0.5	UJ
Ethylbenzene	0.5	U
Isopropylbenzene	0.5	U
Methyl Acetate	0.5	U
Methyl Tert-butyl Ether	0.5	U
Methylcyclohexane	0.5	U
Methylene Chloride	0.34	B
Styrene	0.5	U
Tetrachloroethene	0.5	U
Toluene	0.5	U
trans-1,3-Dichloropropene	0.5	U
Trichloroethene	0.5	U
Trichlorofluoromethane	0.37	J
Vinyl Chloride	0.5	U
Xylene (Total)	0.5	U

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

7002 0510 0003 9019 1592

(b) (6)

Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, R

(Endo

Resti
(Endo

Tota

Sent T

Street, Apt. No.;
or PO Box No.

City, State, ZIP+4

Certified Mail Provides:

- ☑ A mailing receipt
- ☑ A unique identifier for your mailpiece
- ☐ A signature upon delivery
- ☐ A record of delivery kept by the Postal Service for two years

Important Reminders:

- Certified Mail may ONLY be combined with First-Class Mail or Priority Mail.
- Certified Mail is *not* available for any class of international mail.
- INSURANCE COVERAGE IS PROVIDED with Certified Mail. For insurance, please consider Insured or Registered Mail.
- For an additional fee, a *Return Receipt* may be requested to provide proof of. To obtain Return Receipt service, please complete and attach a Return (USPS Form 3811) to the article and add applicable postage to cover the fee. Write mailpiece "Return Receipt Requested". To receive a fee waiver for a return receipt, a USPS postmark on your Certified Mail receipt is required.
- For an additional fee, delivery may be restricted to the addressee or addressee's authorized agent. Advise the clerk or mark the mailpiece with the endorsement *"Restricted Delivery"*.

RW-10

- ☐ If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

October 31, 2005

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-10

Dear (b) (6) [redacted]

The purpose of this letter is to provide you with the results from the sampling of your home well on July 19, 2005. The water from your well is safe for drinking and any other use.

The water from your home was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. If there is a U in the last column, this means that the chemical was **not** detected. A table explaining the other qualifiers is attached.

EPA has compared your results with MCLs, which are the maximum contaminant levels allowed in a public water supply and the results have also been reviewed by an EPA toxicologist. EPA has determined that your results are below MCLs. In general, only low levels of sporadic metals were detected. However, concentrations are not high enough to present a health threat.

EPA intends to sample the water from your home again this November to take into account seasonal variations and its impact on the groundwater. If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov. Thank you for your continued support during our sampling efforts.

Sincerely,

Linda Dietz

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

cc: Andy Frebowicz, TTNUS without enclosures

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW10	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
TOTAL INORGANICS	ug/L	
Antimony	2	U
Arsenic	0.28	B
Barium	229	
Beryllium	1	UL
Cadmium	1	U
Chromium	0.074	B
Cobalt	0.47	J
Copper	33.2	
Lead	0.18	J
Manganese	183	
Mercury	0.2	UL
Nickel	2.5	
Selenium	5	U
Silver	1	U
Thallium	1	U
Vanadium	0.063	B
Zinc	6.5	
Cyanide	10	UL
RADIOCHEMISTRY	pci/L	
Alpha	0.919	
Beta	2.54	
Am241	-0.0315	
Ba140	10.7	U
Bi214	NA	
Co60	1.84	U
Cs137	2.39	U
I131	3.74	U
K40	20.5	U
Pb210	570	U
Pb212	NA	
Pb214	10.1	J
Ra226	60.8	U
Ra228(gamma)	13.1	U
H3	370	
Ra228	0.0503	
Sr89	0.723	
Sr90	-0.341	
Th227	0.0221	
Th228	0.0254	
Th230	0.015	
Th232	0.00448	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW10	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
SEMIVOLATILES	ug/L	
1,1'-Biphenyl	5	U
1,2,4,5-Tetrachlorobenzene	5	U
2,2'-Oxybis(1-chloropropane)	5	U
2,4,5-Trichlorophenol	20	U
2,4,6-Trichlorophenol	5	U
2,4-Dichlorophenol	5	U
2,4-Dimethylphenol	5	U
2,4-Dinitrophenol	20	U
2,4-Dinitrotoluene	5	U
2,6-Dinitrotoluene	5	U
2-Chloronaphthalene	5	U
2-Chlorophenol	5	U
2-Methylnaphthalene	5	U
2-Methylphenol	5	U
2-Nitroaniline	20	U
2-Nitrophenol	5	U
3,3'-Dichlorobenzidine	5	U
3-Nitroaniline	20	U
4,6-Dinitro-2-methylphenol	20	U
4-Bromophenyl Phenyl Ether	5	U
4-Chloro-3-methylphenol	5	U
4-Chloroaniline	5	U
4-Chlorophenyl Phenyl Ether	5	U
4-Methylphenol	5	U
4-Nitroaniline	20	U
4-Nitrophenol	20	U
Acenaphthene	5	U
Acenaphthylene	5	U
Acetophenone	5	U
Anthracene	5	U
Atrazine	5	U
Benz(a)anthracene	5	U
Benzaldehyde	5	U
Benzo(a)pyrene	5	U
Benzo(b)fluoranthene	5	U
Benzo(g,h,i)perylene	5	U
Benzo(k)fluoranthene	5	U
Bis(2-chloroethoxy)methane	5	U
Bis(2-ethylhexyl)phthalate	5	U
Bis-(2-chloroethyl) Ether	5	U
Butylbenzylphthalate	5	U
Caprolactam	5	U
Chrysene	5	U
Di-n-butylphthalate	5	U
Di-n-octylphthalate	5	U
Dibenz(a,h)anthracene	5	U
Dibenzofuran	5	U
Diethylphthalate	5	U
Dimethylphthalate	5	U
Fluoranthene	5	U
Fluorene	5	U
SEMIVOLATILES (Con't)	ug/L	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW10	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
Hexachlorobenzene	5	U
Hexachlorobutadiene	5	U
Hexachlorocyclopentadiene	5	U
Hexachloroethane	5	U
Indeno(1,2,3-cd)pyrene	5	U
Isophorone	5	U
N-Nitroso-di-n-propylamine	5	U
N-Nitrosodiphenylamine (1)	5	U
Naphthalene	5	U
Nitrobenzene	5	U
Pentachlorophenol	5	U
Phenanthrene	5	U
Phenol	5	U
Pyrene	5	U
PESTICIDES/PCBS	ug/L	
4,4'-DDD	0.02	U
4,4'-DDE	0.02	U
4,4'-DDT	0.02	U
Aldrin	0.01	U
Alpha-BHC	0.01	U
Alpha-Chlordane	0.01	U
Beta-BHC	0.01	U
Delta-BHC	0.01	U
Dieldrin	0.02	U
Endosulfan I	0.01	U
Endosulfan II	0.02	U
Endosulfan Sulfate	0.02	U
Endrin	0.02	U
Endrin Aldehyde	0.02	U
Endrin Ketone	0.02	U
Gamma-BHC (Lindane)	0.01	U
Gamma-Chlordane	0.01	U
Heptachlor	0.01	U
Heptachlor Epoxide	0.01	U
Methoxychlor	0.1	U
Toxaphene	1	U
Aroclor-1016	0.2	U
Aroclor-1221	0.4	U
Aroclor-1232	0.2	U
Aroclor-1242	0.2	U
Aroclor-1248	0.2	U
Aroclor-1254	0.2	U
Aroclor-1260	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW10	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
VOLATILES	ug/L	
1,1,1-Trichloroethane	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
1,1,2-Trichloroethane	0.5	U
1,1-Dichloroethane	0.5	U
1,1-Dichloroethene	0.5	U
1,2,3-Trichlorobenzene	0.5	U
1,2,4-Trichlorobenzene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U
1,2-Dibromoethane	0.5	U
1,2-Dichlorobenzene	0.5	U
1,2-Dichloroethane	0.5	U
1,2-Dichloroethene (cis)	0.5	U
1,2-Dichloroethene (trans)	0.5	U
1,2-Dichloropropane	0.5	U
1,3-Dichlorobenzene	0.5	U
1,4-Dichlorobenzene	0.5	U
2-Butanone	5	U
2-Hexanone	5	U
4-Methyl-2-pentanone	5	U
Acetone	2.8	B
Benzene	0.5	U
Bromochloromethane	0.5	U
Bromodichloromethane	0.5	U
Bromoform	0.5	U
Bromomethane	0.5	U
Carbon Disulfide	0.5	U
Carbon Tetrachloride	0.5	U
Chlorobenzene	0.5	U
Chloroethane	0.5	U
Chloroform	0.5	U
Chloromethane	0.5	UJ
cis-1,3-Dichloropropene	0.5	U
Cyclohexane	0.5	U
Dibromochloromethane	0.5	U
Dichlorodifluoromethane	0.5	U
Ethylbenzene	0.5	U
Isopropylbenzene	0.5	U
Methyl Acetate	0.5	U
Methyl Tert-butyl Ether	0.5	U
Methylcyclohexane	0.5	U
Methylene Chloride	0.4	B
Styrene	0.5	U
Tetrachloroethene	0.5	U
Toluene	0.5	U
trans-1,3-Dichloropropene	0.5	U
Trichloroethene	0.5	U
Trichlorofluoromethane	0.5	U
Vinyl Chloride	0.5	U
Xylene (Total)	0.5	U

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.

7002 0510 0003 9019 1615

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW

S

Street, Apt. No.;
or PO Box No.

City, State, ZIP+4

PS Form 3800, January 2001 See Reverse for Instructions

Certified Mail Provides:

- ☑ A mailing receipt
- ☑ A unique identifier for your mailpiece
- ☐ A signature upon delivery
- delivery kept by the Postal Service for two years

minders:

ail may ONLY be combined with First-Class Mail or Priority Mail.

ail is *not* available for any class of international mail.

RANCE COVERAGE IS PROVIDED with Certified Mail. For please consider Insured or Registered Mail.

itional fee, a *Return Receipt* may be requested to provide proof of obtain Return Receipt service, please complete and attach a Return S Form 3811) to the article and add applicable postage to cover the se mailpiece "Return Receipt Requested". To receive a fee waiver for e return receipt, a USPS postmark on your Certified Mail receipt is

-07

n additional fee, delivery may be restricted to the addressee or ssee's authorized agent. Advise the clerk or mark the mailpiece with the rsement *"Restricted Delivery"*.

- ☑ If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

PS Form 3800, January 2001 *(Reverse)* 102595-02-M-0452

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

October 31, 2005

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-7

Dear (b) (6) [redacted]

The purpose of this letter is to provide you with the results from the sampling of your home well on July 19, 2005. The water from your home is safe for drinking and any other use.

The water from your home was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. If there is a U in the last column, this means that the chemical was **not** detected. A table explaining the other qualifiers is attached.

EPA has compared your results with MCLs, which are the maximum contaminant levels allowed in a public water supply and the results have also been reviewed by an EPA toxicologist. EPA has determined that your results are below MCLs. In general, only low levels of sporadic chemicals were detected. However, concentrations are not high enough to present a health threat.

EPA intends to sample the water from your home again this November to take into account seasonal variations and its impact on the groundwater. If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov. Thank you for your continued support during our sampling efforts.

Sincerely,

Linda Dietz

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW7	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
TOTAL INORGANICS	ug/L	
Antimony	2	U
Arsenic	0.62	B
Barium	212	
Beryllium	1	UL
Cadmium	1	U
Chromium	0.079	B
Cobalt	0.047	B
Copper	5.4	
Lead	0.43	J
Manganese	333	
Mercury	0.2	UL
Nickel	0.72	J
Selenium	5	U
Silver	1	U
Thallium	1	U
Vanadium	0.04	B
Zinc	16.3	
Cyanide	10	UL
RADIOCHEMISTRY	pci/L	
Alpha	1.5	
Beta	2.78	
Am241	0.00544	
Ba140	10.3	U
Bi214	NA	
Co60	1.77	U
Cs137	2.42	U
I131	4.13	U
K40	19.3	U
Pb210	533	U
Pb212	NA	
Pb214	NA	
Ra226	59.7	U
Ra228(gamma)	13.4	U
H3	270	
Ra228	-0.466	
Sr89	0.393	
Sr90	-0.192	
Th227	-0.00248	
Th228	0.0112	
Th230	0.197	
Th232	0.00697	

DATA SUMMARY OF ANALYTICAL RESULTS
(b) (6) E
BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW7	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
SEMIVOLATILES	ug/L	
1,1'-Biphenyl	5	U
1,2,4,5-Tetrachlorobenzene	5	U
2,2'-Oxybis(1-chloropropane)	5	U
2,4,5-Trichlorophenol	20	U
2,4,6-Trichlorophenol	5	U
2,4-Dichlorophenol	5	U
2,4-Dimethylphenol	5	U
2,4-Dinitrophenol	20	U
2,4-Dinitrotoluene	5	U
2,6-Dinitrotoluene	5	U
2-Chloronaphthalene	5	U
2-Chlorophenol	5	U
2-Methylnaphthalene	5	U
2-Methylphenol	5	U
2-Nitroaniline	20	U
2-Nitrophenol	5	U
3,3'-Dichlorobenzidine	5	U
3-Nitroaniline	20	U
4,6-Dinitro-2-methylphenol	20	U
4-Bromophenyl Phenyl Ether	5	U
4-Chloro-3-methylphenol	5	U
4-Chloroaniline	5	U
4-Chlorophenyl Phenyl Ether	5	U
4-Methylphenol	5	U
4-Nitroaniline	20	U
4-Nitrophenol	20	U
Acenaphthene	5	U
Acenaphthylene	5	U
Acetophenone	5	U
Anthracene	5	U
Atrazine	5	U
Benz(a)anthracene	5	U
Benzaldehyde	5	U
Benzo(a)pyrene	5	U
Benzo(b)fluoranthene	5	U
Benzo(g,h,i)perylene	5	U
Benzo(k)fluoranthene	5	U
Bis(2-chloroethoxy)methane	5	U
Bis(2-ethylhexyl)phthalate	5	U
Bis-(2-chloroethyl) Ether	5	U
Butylbenzylphthalate	5	U
Caprolactam	5	U
Chrysene	5	U
Di-n-butylphthalate	5	U
Di-n-octylphthalate	5	U
Dibenz(a,h)anthracene	5	U
Dibenzofuran	5	U
Diethylphthalate	5	U
Dimethylphthalate	5	U
Fluoranthene	5	U
Fluorene	5	U
SEMIVOLATILES (Con't)	ug/L	

DATA SUMMARY OF ANALYTICAL RESULTS
(b) (6) E
BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW7	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
Hexachlorobenzene	5	U
Hexachlorobutadiene	5	U
Hexachlorocyclopentadiene	5	U
Hexachloroethane	5	U
Indeno(1,2,3-cd)pyrene	5	U
Isophorone	5	U
N-Nitroso-di-n-propylamine	5	U
N-Nitrosodiphenylamine (1)	5	U
Naphthalene	5	U
Nitrobenzene	5	U
Pentachlorophenol	5	U
Phenanthrene	5	U
Phenol	5	U
Pyrene	5	U
PESTICIDES/PCBS	ug/L	
4,4'-DDD	0.02	U
4,4'-DDE	0.02	U
4,4'-DDT	0.02	U
Aldrin	0.01	U
Alpha-BHC	0.01	U
Alpha-Chlordane	0.01	U
Beta-BHC	0.01	U
Delta-BHC	0.01	U
Dieldrin	0.02	U
Endosulfan I	0.01	U
Endosulfan II	0.02	U
Endosulfan Sulfate	0.02	U
Endrin	0.02	U
Endrin Aldehyde	0.02	U
Endrin Ketone	0.02	U
Gamma-BHC (Lindane)	0.01	U
Gamma-Chlordane	0.01	U
Heptachlor	0.01	U
Heptachlor Epoxide	0.01	U
Methoxychlor	0.1	U
Toxaphene	1	U
Aroclor-1016	0.2	U
Aroclor-1221	0.4	U
Aroclor-1232	0.2	U
Aroclor-1242	0.2	U
Aroclor-1248	0.2	U
Aroclor-1254	0.2	U
Aroclor-1260	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW7	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
VOLATILES	ug/L	
1,1,1-Trichloroethane	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
1,1,2-Trichloroethane	0.5	U
1,1-Dichloroethane	0.5	U
1,1-Dichloroethene	0.5	U
1,2,3-Trichlorobenzene	0.5	U
1,2,4-Trichlorobenzene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U
1,2-Dibromoethane	0.5	U
1,2-Dichlorobenzene	0.5	U
1,2-Dichloroethane	0.5	U
1,2-Dichloroethene (cis)	0.5	U
1,2-Dichloroethene (trans)	0.5	U
1,2-Dichloropropane	0.5	U
1,3-Dichlorobenzene	0.5	U
1,4-Dichlorobenzene	0.5	U
2-Butanone	5	U
2-Hexanone	5	U
4-Methyl-2-pentanone	5	U
Acetone	2.1	B
Benzene	0.5	U
Bromochloromethane	0.5	U
Bromodichloromethane	0.5	U
Bromoform	0.5	U
Bromomethane	0.5	U
Carbon Disulfide	0.5	U
Carbon Tetrachloride	0.5	U
Chlorobenzene	0.5	U
Chloroethane	0.5	U
Chloroform	0.5	U
Chloromethane	0.5	U
cis-1,3-Dichloropropene	0.5	U
Cyclohexane	0.5	U
Dibromochloromethane	0.5	U
Dichlorodifluoromethane	0.5	UJ
Ethylbenzene	0.5	U
Isopropylbenzene	0.5	U
Methyl Acetate	0.5	U
Methyl Tert-butyl Ether	0.5	U
Methylcyclohexane	0.5	U
Methylene Chloride	0.34	B
Styrene	0.5	U
Tetrachloroethene	0.5	U
Toluene	0.5	U
trans-1,3-Dichloropropene	0.5	U
Trichloroethene	0.5	U
Trichlorofluoromethane	0.5	U
Vinyl Chloride	0.5	U
Xylene (Total)	0.5	U

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.

CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

7002 0510 0003 9019 1608

(b) (6)

Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, R

Street, Apt. No.;
or PO Box No.

City, State, ZIP+4

Certified Mail Provides:

- ☒ A mailing receipt
- ☐ A unique identifier for your mailpiece
- ☐ A signature upon delivery
- ☐ A record of delivery kept by the Postal Service for two years

Important Reminders:

Mail may ONLY be combined with First-Class Mail or Priority Mail.

Mail is *not* available for any class of international mail.

RANCE COVERAGE IS PROVIDED with Certified Mail. For please consider Insured or Registered Mail.

ditional fee, a *Return Receipt* may be requested to provide proof of o obtain Return Receipt service, please complete and attach a Return PS Form 3811) to the article and add applicable postage to cover the rse mailpiece "Return Receipt Requested". To receive a fee waiver for te return receipt, a USPS postmark on your Certified Mail receipt is

V-08

additional fee, delivery may be restricted to the addressee or e's authorized agent. Advise the clerk or mark the mailpiece with the ment *"Restricted Delivery"*.

mark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

IMPORTANT: Save this receipt and present it when making an inquiry.

PS Form 3800, January 2001 *(Reverse)* 102595-02-M-0452

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

October 31, 2005

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

(b) (6)
[redacted]
Bloomsburg, PA 17815

Re: Safety Light Corporation Superfund Site
July 2005 Sampling of Residential Well, RW-8

Dear (b) (6) [redacted]

The purpose of this letter is to provide you with the results from the sampling of your home well on July 19, 2005. The water from your well is safe for drinking and any other use.

The water from your home was analyzed for a large list of potential chemicals which included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, Polychlorinated Biphenyls (PCBs), metals, and radiological parameters. If there is a U in the last column, this means that the chemical was **not** detected. A table explaining the other qualifiers is attached.

EPA has compared your results with MCLs, which are the maximum contaminant levels allowed in a public water supply and the results have also been reviewed by an EPA toxicologist. EPA has determined that your results are below MCLs. In general, only low levels of sporadic metals were detected. However, concentrations are not high enough to present a health threat.

EPA intends to sample the water from your home again this Summer to take into account seasonal variations and its impact on the groundwater. If you have any questions about these results or other matters related to the Site, please call me at (215) 814-3195 or email me at dietz.linda@epa.gov. Thank you for your continued support during our sampling efforts.

Sincerely,

Linda Dietz

Linda Dietz
Remedial Project Manager
Eastern Pennsylvania Remedial Section

DATA SUMMARY OF ANALYTICAL RESULTS

[redacted] (b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW8	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
TOTAL INORGANICS	ug/L	
Antimony	2	U
Arsenic	0.41	B
Barium	225	
Beryllium	1	UL
Cadmium	1	U
Chromium	0.053	B
Cobalt	0.047	B
Copper	0.92	B
Lead	0.34	J
Manganese	214	
Mercury	0.2	UL
Nickel	0.43	J
Selenium	5	U
Silver	1	U
Thallium	1	U
Vanadium	1	U
Zinc	10	
Cyanide	10	UL
RADIOCHEMISTRY	pci/L	
Alpha	1.26	
Beta	0.667	
Am241	-0.0178	
Ba140	10.4	U
Bi214	NA	
Co60	2.01	U
Cs137	2.3	U
I131	4.07	U
K40	15.3	U
Pb210	548	U
Pb212	NA	
Pb214	NA	
Ra226	56.2	U
Ra228(gamma)	15	U
H3	320	
Ra228	-0.274	
Sr89	0.554	
Sr90	-0.284	
Th227	-0.00633	
Th228	-0.00592	
Th230	0.00949	
Th232	0.00237	

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW8	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
SEMIVOLATILES	ug/L	
1,1'-Biphenyl	5	U
1,2,4,5-Tetrachlorobenzene	5	U
2,2'-Oxybis(1-chloropropane)	5	U
2,4,5-Trichlorophenol	20	U
2,4,6-Trichlorophenol	5	U
2,4-Dichlorophenol	5	U
2,4-Dimethylphenol	5	U
2,4-Dinitrophenol	20	U
2,4-Dinitrotoluene	5	U
2,6-Dinitrotoluene	5	U
2-Chloronaphthalene	5	U
2-Chlorophenol	5	U
2-Methylnaphthalene	5	U
2-Methylphenol	5	U
2-Nitroaniline	20	U
2-Nitrophenol	5	U
3,3'-Dichlorobenzidine	5	U
3-Nitroaniline	20	U
4,6-Dinitro-2-methylphenol	20	U
4-Bromophenyl Phenyl Ether	5	U
4-Chloro-3-methylphenol	5	U
4-Chloroaniline	5	U
4-Chlorophenyl Phenyl Ether	5	U
4-Methylphenol	5	U
4-Nitroaniline	20	U
4-Nitrophenol	20	U
Acenaphthene	5	U
Acenaphthylene	5	U
Acetophenone	5	U
Anthracene	5	U
Atrazine	5	U
Benz(a)anthracene	5	U
Benzaldehyde	5	U
Benzo(a)pyrene	5	U
Benzo(b)fluoranthene	5	U
Benzo(g,h,i)perylene	5	U
Benzo(k)fluoranthene	5	U
Bis(2-chloroethoxy)methane	5	U
Bis(2-ethylhexyl)phthalate	2.1	J
Bis-(2-chloroethyl) Ether	5	U
Butylbenzylphthalate	5	U
Caprolactam	5	U
Chrysene	5	U
Di-n-butylphthalate	1.2	J
Di-n-octylphthalate	5	U
Dibenz(a,h)anthracene	5	U
Dibenzofuran	5	U
Diethylphthalate	5	U
Dimethylphthalate	5	U
Fluoranthene	5	U
Fluorene	5	U
SEMIVOLATILES (Con't)	ug/L	

DATA SUMMARY OF ANALYTICAL RESULTS

[redacted] (b) (6)

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW8	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	*
Hexachlorobenzene	5	U
Hexachlorobutadiene	5	U
Hexachlorocyclopentadiene	5	U
Hexachloroethane	5	U
Indeno(1,2,3-cd)pyrene	5	U
Isophorone	5	U
N-Nitroso-di-n-propylamine	5	U
N-Nitrosodiphenylamine (1)	5	U
Naphthalene	5	U
Nitrobenzene	5	U
Pentachlorophenol	5	U
Phenanthrene	5	U
Phenol	5	U
Pyrene	5	U
PESTICIDES/PCBS	ug/L	
4,4'-DDD	0.02	U
4,4'-DDE	0.02	U
4,4'-DDT	0.02	U
Aldrin	0.01	U
Alpha-BHC	0.01	U
Alpha-Chlordane	0.01	U
Beta-BHC	0.01	U
Delta-BHC	0.01	U
Dieldrin	0.02	U
Endosulfan I	0.01	U
Endosulfan II	0.02	U
Endosulfan Sulfate	0.02	U
Endrin	0.02	U
Endrin Aldehyde	0.02	U
Endrin Ketone	0.02	U
Gamma-BHC (Lindane)	0.01	U
Gamma-Chlordane	0.01	U
Heptachlor	0.01	U
Heptachlor Epoxide	0.01	U
Methoxychlor	0.1	U
Toxaphene	1	U
Aroclor-1016	0.2	U
Aroclor-1221	0.4	U
Aroclor-1232	0.2	U
Aroclor-1242	0.2	U
Aroclor-1248	0.2	U
Aroclor-1254	0.2	U
Aroclor-1260	0.2	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW8	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
VOLATILES	ug/L	
1,1,1-Trichloroethane	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
1,1,2-Trichloroethane	0.5	U
1,1-Dichloroethane	0.5	U
1,1-Dichloroethene	0.5	U
1,2,3-Trichlorobenzene	0.5	U
1,2,4-Trichlorobenzene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U
1,2-Dibromoethane	0.5	U
1,2-Dichlorobenzene	0.5	U
1,2-Dichloroethane	0.5	U
1,2-Dichloroethene (cis)	0.5	U
1,2-Dichloroethene (trans)	0.5	U
1,2-Dichloropropane	0.5	U
1,3-Dichlorobenzene	0.5	U
1,4-Dichlorobenzene	0.5	U
2-Butanone	5	U
2-Hexanone	5	U
4-Methyl-2-pentanone	5	U
Acetone	2.5	B
Benzene	0.5	U
Bromochloromethane	0.5	U
Bromodichloromethane	0.5	U
Bromoform	0.5	U
Bromomethane	0.5	U
Carbon Disulfide	0.5	U
Carbon Tetrachloride	0.5	U
Chlorobenzene	0.5	U
Chloroethane	0.5	U
Chloroform	0.5	U
Chloromethane	0.5	U
cis-1,3-Dichloropropene	0.5	U
Cyclohexane	0.5	U
Dibromochloromethane	0.5	U
Dichlorodifluoromethane	0.5	UJ
Ethylbenzene	0.5	U
Isopropylbenzene	0.5	U
Methyl Acetate	0.5	U
Methyl Tert-butyl Ether	0.5	U
Methylcyclohexane	0.5	U
Methylene Chloride	0.33	J
Styrene	0.5	U
Tetrachloroethene	0.5	U
Toluene	0.5	U
trans-1,3-Dichloropropene	0.5	U
Trichloroethene	0.5	U
Trichlorofluoromethane	0.5	U
Vinyl Chloride	0.5	U
Xylene (Total)	0.5	U

DATA SUMMARY OF ANALYTICAL RESULTS

(b) (6) [redacted]

BLOOMSBURG, PENNSYLVANIA

Sample ID:	RW8	
Sample Date:	07/19/05	
Duplicate:		
	RESULT	
VOLATILES	ug/L	
1,1,1-Trichloroethane	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U
1,1,2-Trichloroethane	0.5	U
1,1-Dichloroethane	0.5	U
1,1-Dichloroethene	0.5	U
1,2,3-Trichlorobenzene	0.5	U
1,2,4-Trichlorobenzene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U
1,2-Dibromoethane	0.5	U
1,2-Dichlorobenzene	0.5	U
1,2-Dichloroethane	0.5	U
1,2-Dichloroethene (cis)	0.5	U
1,2-Dichloroethene (trans)	0.5	U
1,2-Dichloropropane	0.5	U
1,3-Dichlorobenzene	0.5	U
1,4-Dichlorobenzene	0.5	U
2-Butanone	5	U
2-Hexanone	5	U
4-Methyl-2-pentanone	5	U
Acetone	2.5	B
Benzene	0.5	U
Bromochloromethane	0.5	U
Bromodichloromethane	0.5	U
Bromoform	0.5	U
Bromomethane	0.5	U
Carbon Disulfide	0.5	U
Carbon Tetrachloride	0.5	U
Chlorobenzene	0.5	U
Chloroethane	0.5	U
Chloroform	0.5	U
Chloromethane	0.5	U
cis-1,3-Dichloropropene	0.5	U
Cyclohexane	0.5	U
Dibromochloromethane	0.5	U
Dichlorodifluoromethane	0.5	UJ
Ethylbenzene	0.5	U
Isopropylbenzene	0.5	U
Methyl Acetate	0.5	U
Methyl Tert-butyl Ether	0.5	U
Methylcyclohexane	0.5	U
Methylene Chloride	0.33	J
Styrene	0.5	U
Tetrachloroethene	0.5	U
Toluene	0.5	U
trans-1,3-Dichloropropene	0.5	U
Trichloroethene	0.5	U
Trichlorofluoromethane	0.5	U
Vinyl Chloride	0.5	U
Xylene (Total)	0.5	U

GLOSSARY OF DATA QUALIFIERS

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable results. Analyte may or may not be present in the sample. Supporting data necessary to confirm.

N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits)

J = Analyte present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

UJ = not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

Q = No analytical result.